# This Page Is Inserted by IFW Operations and is not a part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.






FIG. 2





SIMULATION OUTPUT SETTING					
TARGET PRINTER	PRINTER B (SITE B)	▼			
OUTPUT PRINTER	PRINTER A	▼			
PROFILE SETTING	CMYK INPUT	Japan Color ▼			
	RGB INPUT	sRGB Monitor ▼			
	SIMULATION TARGET PRINTER B				
	PRINTER	PRINTER A ▼			
FILE SETTING	TIFF	▼			
	CA	ANCEL OK			

FIG. 5




FIG. 6





FIG. 7








FIG. 9





11/27 PRINTER B SITEB SERVER PROFILE DB 213 200 WAN ~ 203 PROFILE DB 204 SERVER ~ 201 SITEA ~ 202 PRINTER A






FIG. 13




14/27 SITE B PROFILE DB 212 SERVER PROFILE DB 213 200 WAN ~ 203 PROFILE DB SERVER ~ 201 SITEA 202 **PRINTER A** 

FIG. 15





PREVIEW SETTING			
TARGET PRINTER	PRINTER B (SITE B)	<b>V</b>	
OUTPUT MONITOR	MONITOR A	▼	
PROFILE SETTING	CMYK INPUT	Japan Color	▼
	RGB INPUT	sRGB Monitor	<b>V</b>
	PRINTER	PRINTER B	▼
FILE SETTING	TIFF	▼	
		CANCEL OK	


FIG. 17




# FIG. 18 10








1 1 ......





PREVIEW SETTING		
TARGET PRINTER	PRINTER B	•
OUTPUT MONITOR	MONITOR A	▼
PROFILE SETTING	CMYK INPUT	Japan Color ▼
	RGB INPUT	sRGB Monitor ▼
	PRINTER	PRINTER B ▼
CANCEL OK		

FIG. 24

